- 396	. 65	100	79
0	3000		3
1	400	-	=
ø,	-		3
100	101.6		3
4.	~		
Q.	-	=	2
36.	$\overline{}$	=	Ħ
2	ذ خ	=	=
6	T 10M		
~			Ξź
ø.	-		3,
ΰ		=	3
Ť	. 14	=	٥,
-	-		-
**	10/039313		
**	-	4.	

PATENT NUMBER and ISSUE DATE

U.S. UTILITY Patent Application

APPL NUM 10039313	FILING DATE 10/27/2001	083	SUBCLAS	3724	A3h114
**APPLICANT				Noll Doug; F	The state of the s
ALL LICAIS.	. Silailli C	,بالما المالي 'غ	ivic Guiiii-i	voii Doug, i	-rock Jeff;
		4.12 4.	4.5		
	•				,
	•	٠. ٠	200		
**CONTINUUNG	DATA VERIFIED	٠.	10		
CONTINUING	DATA VERIFIEL); ;;	- 1 m		
			् इं		
		·:	.		
	ent e				
		· .	4 J		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	in the same			1. A. J. M. C.	
			1,44		90 - 40 - 45°
		* .	تغیر	14. 18.	
	The same of the sa		\$ 8. ·	•	
	•	:	••		•
** FOREIGN A	PPLICATIONS VE	RIFIED:			
PG-PUB DO N	OT PUBLISH 🗖		RES	CIND 🗆	
Foreign priority claim	med		₩-no		ATTORNEY DOCKET NO
35 USC 119 conditi	ons met vledged Examiners's ir	□ yes	721°n°o ≅3		006593-01953
	ip for a food slicer				
<u> </u>		··	, when The sub-		U.S.DEPT. OF COMM.PAT.& TM-PTO-4
Jan San San	The transfer of the same	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	A 460 A	and the same of th	The same of the sa
2 2			200	~	· 10/2 10 E. Free 15 12 12 12

the d	e. M	NOTICE OF ALLOWANCE MAILED	CLAIMS ALLOWED						
		BARTING OF THE THE TOWN	Assistant Examiner	Total Claims	Print Cla O.G	im for			
100		ISSUE FEE	The state of the s	DRAWING					
3. 3	4 4	Amount Due Date Paid		Sheets Drag. F	lgo.Dræg. Pr	Int Fig.			
· 4	~ · · · · ·	the state of the s	and the state of second of the second		(i) 3'				
pt. 1.		A second	Primary Examiner	a se je v e t	A Comment of the	Se Se			
m . 03				A					
* a		TERMINAL	PREPARED FOR ISSUE	Application Ex	taminer				
8 4		DISCLAMER	WARNING: The information disclosed Unauthorized disclosure may be prohibi			25			
	1		Sections 122, 181 and 368, Possession of	utside the U.S. Pa	tent & Tradema	rk			
* 3	~ 350	Water Strategy	Office is restricted to authorized employees and contractors only.						

FILED WITH:

DISK (CRF)

CD-ROM

(Attached in pocket on right inside flap)